



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

BC Laboratories, Inc.
4100 Atlas Court, Bakersfield, CA 93308

(Hereinafter called the Organization) and hereby declares that Organization has met the requirements of ISO/IEC 17025:2017) General Requirements for the competence of Testing and Calibration Laboratories and the U.S. Department of Energy (DOE) Consolidated Audit Program (DOECAP) requirements identified within the DoD/DOE Quality Systems Manual (DoD/DOE QSM) Version 5.3 May 2019 and is accredited in accordance with the

United States Department of Energy Consolidated Audit Program-Accreditation Program (DOECAP-AP)

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

This accreditation demonstrates technical competence for the defined scope:
Environmental Testing
(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:

March 22, 2010

Issue Date:

May 10, 2020

Expiration Date:

May 10, 2022

Revision Date:

April 22, 2021

Accreditation No.:

66175

Certificate No.:

L20-281-R1

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjilabs.com



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Air	EPA TO-15	GC/MS	1,1,1,2-Tetrachloroethane
Air	EPA TO-15	GC/MS	1,1,2,2-Tetrachloroethane
Air	EPA TO-15	GC/MS	1,1-Dichloroethene
Air	EPA TO-15	GC/MS	1,1,1,2-Tetrafluoroethane
Air	EPA TO-15	GC/MS	1,1-Difluoroethane
Air	EPA TO-15	GC/MS	1,2,3-Trichloropropane
Air	EPA TO-15	GC/MS	1,2-Dibromo-3-chloropropane
Air	EPA TO-15	GC/MS	1,4-Dioxane
Air	EPA TO-15	GC/MS	Allyl chloride
Air	EPA TO-15	GC/MS	Dibromomethane
Air	EPA TO-15	GC/MS	Diisopropyl ether
Air	EPA TO-15	GC/MS	2-Hexanone
Air	EPA TO-15	GC/MS	Ethanol
Air	EPA TO-15	GC/MS	Ethylbenzene
Air	EPA TO-15	GC/MS	Hexachloroethane
Air	EPA TO-15	GC/MS	Isooctane
Air	EPA TO-15	GC/MS	Methyl iodide
Air	EPA TO-15	GC/MS	Naphthalene
Air	EPA TO-15	GC/MS	tert-Butyl alcohol
Air	EPA TO-15	GC/MS	Tetrahydrofuran
Air	EPA TO-15	GC/MS	Vinyl acetate
Air	EPA TO-15	GC/MS	1,1,1-Trichloroethane
Air	EPA TO-15	GC/MS	1,1,2-Trichloro-1,2,2-trifluoroethane
Air	EPA TO-15	GC/MS	1,1,2-Trichloroethane
Air	EPA TO-15	GC/MS	1,1-Dichloroethane
Air	EPA TO-15	GC/MS	1,2,4-Trichlorobenzene
Air	EPA TO-15	GC/MS	1,2,4-Trimethylbenzene
Air	EPA TO-15	GC/MS	1,2-Dibromoethane
Air	EPA TO-15	GC/MS	1,2-Dichloro-1,1,2,2-tetrafluoroethane
Air	EPA TO-15	GC/MS	1,2-Dichlorobenzene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Air	EPA TO-15	GC/MS	1,2-Dichloroethane
Air	EPA TO-15	GC/MS	1,2-Dichloropropane
Air	EPA TO-15	GC/MS	1,3,5-Trimethylbenzene
Air	EPA TO-15	GC/MS	1,3-Butadiene
Air	EPA TO-15	GC/MS	1,4-Dichlorobenzene
Air	EPA TO-15	GC/MS	1-Ethyl-4-methylbenzene
Air	EPA TO-15	GC/MS	Acetone
Air	EPA TO-15	GC/MS	Acrylonitrile
Air	EPA TO-15	GC/MS	Benzene
Air	EPA TO-15	GC/MS	Benzyl chloride
Air	EPA TO-15	GC/MS	Bromodichloromethane
Air	EPA TO-15	GC/MS	Bromoform
Air	EPA TO-15	GC/MS	Bromomethane
Air	EPA TO-15	GC/MS	Carbon Disulfide
Air	EPA TO-15	GC/MS	Carbon Tetrachloride
Air	EPA TO-15	GC/MS	Chlorobenzene
Air	EPA TO-15	GC/MS	Chloroethane
Air	EPA TO-15	GC/MS	Chloroform
Air	EPA TO-15	GC/MS	Chloromethane
Air	EPA TO-15	GC/MS	cis-1,2-Dichloroethene
Air	EPA TO-15	GC/MS	cis-1,3-Dichloropropene
Air	EPA TO-15	GC/MS	Cyclohexane
Air	EPA TO-15	GC/MS	Dibromochloromethane
Air	EPA TO-15	GC/MS	Dichlorodifluoromethane
Air	EPA TO-15	GC/MS	Ethyl Acetate
Air	EPA TO-15	GC/MS	Ethyl t-butyl Ether
Air	EPA TO-15	GC/MS	Hexachlorobutadiene
Air	EPA TO-15	GC/MS	Hexane
Air	EPA TO-15	GC/MS	Isopropyl alcohol
Air	EPA TO-15	GC/MS	Methyl ethyl ketone
Air	EPA TO-15	GC/MS	Methyl isobutyl ketone



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Air	EPA TO-15	GC/MS	Methyl t-butyl Ether
Air	EPA TO-15	GC/MS	Methylene Chloride
Air	EPA TO-15	GC/MS	n-Heptane
Air	EPA TO-15	GC/MS	o-Xylene
Air	EPA TO-15	GC/MS	p- & m-Xylenes
Air	EPA TO-15	GC/MS	Propylene
Air	EPA TO-15	GC/MS	Styrene
Air	EPA TO-15	GC/MS	t-Amyl Methyl ether
Air	EPA TO-15	GC/MS	Tetrachloroethene
Air	EPA TO-15	GC/MS	Toluene
Air	EPA TO-15	GC/MS	Total Xylenes
Air	EPA TO-15	GC/MS	trans-1,2-Dichloroethene
Air	EPA TO-15	GC/MS	trans-1,3-Dichloropropene
Air	EPA TO-15	GC/MS	Trichloroethene
Air	EPA TO-15	GC/MS	Trichlorofluoromethane
Air	EPA TO-15	GC/MS	Vinyl Bromide
Air	EPA TO-15	GC/MS	Vinyl Chloride
Aqueous	EPA 1664B	Gravimetric	Oil & Grease
Aqueous	EPA 120.1	Conductivity Meter	Conductivity
Aqueous	EPA 180.1	TURB	Turbidity
Aqueous	EPA 200.7	ICP	Aluminum
Aqueous	EPA 200.7	ICP	Antimony
Aqueous	EPA 200.7	ICP	Arsenic
Aqueous	EPA 200.7	ICP	Barium
Aqueous	EPA 200.7	ICP	Beryllium
Aqueous	EPA 200.7	ICP	Boron
Aqueous	EPA 200.7	ICP	Cadmium
Aqueous	EPA 200.7	ICP	Calcium
Aqueous	EPA 200.7	ICP	Chromium
Aqueous	EPA 200.7	ICP	Cobalt
Aqueous	EPA 200.7	ICP	Copper
Aqueous	EPA 200.7	ICP	Iron
Aqueous	EPA 200.7	ICP	Lead
Aqueous	EPA 200.7	ICP	Magnesium
Aqueous	EPA 200.7	ICP	Manganese



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.
 4100 Atlas Court, Bakersfield, CA 93308
 Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous	EPA 200.7	ICP	Molybdenum
Aqueous	EPA 200.7	ICP	Nickel
Aqueous	EPA 200.7	ICP	Potassium
Aqueous	EPA 200.7	ICP	Selenium
Aqueous	EPA 200.7	ICP	Silver
Aqueous	EPA 200.7	ICP	Sodium
Aqueous	EPA 200.7	ICP	Strontium
Aqueous	EPA 200.7	ICP	Thallium
Aqueous	EPA 200.7	ICP	Titanium
Aqueous	EPA 200.7	ICP	Vanadium
Aqueous	EPA 200.7	ICP	Zinc
Aqueous	EPA 200.8	ICPMS	Aluminum
Aqueous	EPA 200.8	ICPMS	Antimony
Aqueous	EPA 200.8	ICPMS	Arsenic
Aqueous	EPA 200.8	ICPMS	Barium
Aqueous	EPA 200.8	ICPMS	Beryllium
Aqueous	EPA 200.8	ICPMS	Boron
Aqueous	EPA 200.8	ICPMS	Cadmium
Aqueous	EPA 200.8	ICPMS	Chromium
Aqueous	EPA 200.8	ICPMS	Cobalt
Aqueous	EPA 200.8	ICPMS	Copper
Aqueous	EPA 200.8	ICPMS	Lead
Aqueous	EPA 200.8	ICPMS	Manganese
Aqueous	EPA 200.8	ICPMS	Mercury
Aqueous	EPA 200.8	ICPMS	Molybdenum
Aqueous	EPA 200.8	ICPMS	Nickel
Aqueous	EPA 200.8	ICPMS	Selenium
Aqueous	EPA 200.8	ICPMS	Silver
Aqueous	EPA 200.8	ICPMS	Thallium
Aqueous	EPA 200.8	ICPMS	Vanadium
Aqueous	EPA 200.8	ICPMS	Zinc
Aqueous	EPA 300.0	IC	Bromide
Aqueous	EPA 300.0	IC	Chloride
Aqueous	EPA 300.0	IC	Fluoride
Aqueous	EPA 300.0	IC	Nitrate as N
Aqueous	EPA 300.0	IC	Nitrate as NO3



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous	EPA 300.0	IC	Sulfate
Aqueous	EPA 310.1	Titrimetric	Alkalinity
Aqueous	EPA 314.0	IC	Perchlorate
Aqueous	EPA 350.1	UV/VIS	Ammonia
Aqueous	EPA 353.2	UV/VIS	Nitrate, total, NO3 & NO2
Aqueous	EPA 365.1	UV/VIS	Orthophosphate
Aqueous	EPA 365.4	UV/VIS	Total Phosphorus
Aqueous	EPA 410.4	Spectrophotometric	COD
Aqueous	EPA 415.1	UV/VIS	Total Organic Carbon (TOC)
Aqueous	EPA 608.3	GC/ECD	4,4-DDD
Aqueous	EPA 608.3	GC/ECD	4,4-DDE
Aqueous	EPA 608.3	GC/ECD	4,4-DDT
Aqueous	EPA 608.3	GC/ECD	a-BHC
Aqueous	EPA 608.3	GC/ECD	Aldrin
Aqueous	EPA 608.3	GC/ECD	Alpha-Chlordane
Aqueous	EPA 608.3	GC/ECD	Aroclor 1016
Aqueous	EPA 608.3	GC/ECD	Aroclor 1221
Aqueous	EPA 608.3	GC/ECD	Aroclor 1232
Aqueous	EPA 608.3	GC/ECD	Aroclor 1242
Aqueous	EPA 608.3	GC/ECD	Aroclor 1248
Aqueous	EPA 608.3	GC/ECD	Aroclor 1254
Aqueous	EPA 608.3	GC/ECD	Aroclor 1260
Aqueous	EPA 608.3	GC/ECD	b-BHC
Aqueous	EPA 608.3	GC/ECD	Chlordane
Aqueous	EPA 608.3	GC/ECD	d-BHC
Aqueous	EPA 608.3	GC/ECD	Dieldrin
Aqueous	EPA 608.3	GC/ECD	Endosulfan I
Aqueous	EPA 608.3	GC/ECD	Endosulfan II
Aqueous	EPA 608.3	GC/ECD	Endosulfan Sulfate
Aqueous	EPA 608.3	GC/ECD	Endrin
Aqueous	EPA 608.3	GC/ECD	Endrin Aldehyde
Aqueous	EPA 608.3	GC/ECD	Endrin ketone
Aqueous	EPA 608.3	GC/ECD	Gamma-Chlordane
Aqueous	EPA 608.3	GC/ECD	g-BHC
Aqueous	EPA 608.3	GC/ECD	Heptachlor
Aqueous	EPA 608.3	GC/ECD	Heptachlor epoxide



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
 Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous	EPA 608.3	GC/ECD	Methoxychlor
Aqueous	EPA 608.3	GC/ECD	Toxaphene
Aqueous	EPA 624.1	GC/MS	1,1,1,2-Tetrachloroethane
Aqueous	EPA 624.1	GC/MS	1,1,1-Trichloroethane
Aqueous	EPA 624.1	GC/MS	1,1,2,2-Tetrachloroethane
Aqueous	EPA 624.1	GC/MS	1,1,2-Trichloroethane
Aqueous	EPA 624.1	GC/MS	1,1-Dichloroethane
Aqueous	EPA 624.1	GC/MS	1,1-Dichloroethylene
Aqueous	EPA 624.1	GC/MS	1,1-Dichloropropene
Aqueous	EPA 624.1	GC/MS	1,2,3-Trichlorobenzene
Aqueous	EPA 624.1	GC/MS	1,2,3-Trichloropropane
Aqueous	EPA 624.1	GC/MS	1,2,4-Trichlorobenzene
Aqueous	EPA 624.1	GC/MS	1,2,4-Trimethylbenzene
Aqueous	EPA 624.1	GC/MS	1,2-Dibromo-3-chloropropane
Aqueous	EPA 624.1	GC/MS	1,2-Dibromoethane
Aqueous	EPA 624.1	GC/MS	1,2-Dichlorobenzene
Aqueous	EPA 624.1	GC/MS	1,2-Dichloroethane
Aqueous	EPA 624.1	GC/MS	1,2-Dichloropropane
Aqueous	EPA 624.1	GC/MS	1,3,5-Trimethylbenzene
Aqueous	EPA 624.1	GC/MS	1,3-Dichlorobenzene
Aqueous	EPA 624.1	GC/MS	1,3-Dichloropropane
Aqueous	EPA 624.1	GC/MS	1,4-Dichlorobenzene
Aqueous	EPA 624.1	GC/MS	2,2-Dichloropropane
Aqueous	EPA 624.1	GC/MS	2-Butanone
Aqueous	EPA 624.1	GC/MS	2-Chloroethylvinyl Ether
Aqueous	EPA 624.1	GC/MS	2-Chlorotoluene
Aqueous	EPA 624.1	GC/MS	2-Hexanone
Aqueous	EPA 624.1	GC/MS	4-Chlorotoluene
Aqueous	EPA 624.1	GC/MS	4-isopropyltoluene
Aqueous	EPA 624.1	GC/MS	Acetone
Aqueous	EPA 624.1	GC/MS	Acrolein
Aqueous	EPA 624.1	GC/MS	Acrylonitrile
Aqueous	EPA 624.1	GC/MS	Benzene
Aqueous	EPA 624.1	GC/MS	Bromobenzene
Aqueous	EPA 624.1	GC/MS	Bromochloromethane
Aqueous	EPA 624.1	GC/MS	Bromodichloromethane



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous	EPA 624.1	GC/MS	Bromoform
Aqueous	EPA 624.1	GC/MS	Bromomethane
Aqueous	EPA 624.1	GC/MS	Carbon Disulfide
Aqueous	EPA 624.1	GC/MS	Carbon Tetrachloride
Aqueous	EPA 624.1	GC/MS	Chlorobenzene
Aqueous	EPA 624.1	GC/MS	Chloroethane
Aqueous	EPA 624.1	GC/MS	Chloroform
Aqueous	EPA 624.1	GC/MS	Chloromethane
Aqueous	EPA 624.1	GC/MS	cis-1,2-Dichloroethylene
Aqueous	EPA 624.1	GC/MS	cis-1,3-Dichloropropene
Aqueous	EPA 624.1	GC/MS	Dibromochloromethane
Aqueous	EPA 624.1	GC/MS	Dibromomethane
Aqueous	EPA 624.1	GC/MS	Dichlorodifluoromethane
Aqueous	EPA 624.1	GC/MS	Diisopropyl ether (DIPE)
Aqueous	EPA 624.1	GC/MS	Ethylbenzene
Aqueous	EPA 624.1	GC/MS	Hexachloroethane
Aqueous	EPA 624.1	GC/MS	Hexachlorobutadiene
Aqueous	EPA 624.1	GC/MS	Isopropylbenzene
Aqueous	EPA 624.1	GC/MS	m- & p-Xylenes
Aqueous	EPA 624.1	GC/MS	MEK
Aqueous	EPA 624.1	GC/MS	Methylene Chloride
Aqueous	EPA 624.1	GC/MS	MIBK
Aqueous	EPA 624.1	GC/MS	MTBE
Aqueous	EPA 624.1	GC/MS	Naphthalene
Aqueous	EPA 624.1	GC/MS	n-Butylbenzene
Aqueous	EPA 624.1	GC/MS	n-Propylbenzene
Aqueous	EPA 624.1	GC/MS	o-Xylene
Aqueous	EPA 624.1	GC/MS	sec-Butylbenzene
Aqueous	EPA 624.1	GC/MS	Styrene
Aqueous	EPA 624.1	GC/MS	t-Butyl alcohol
Aqueous	EPA 624.1	GC/MS	t-Butylbenzene
Aqueous	EPA 624.1	GC/MS	Tetrachloroethylene
Aqueous	EPA 624.1	GC/MS	Tert-Amyl methyl ether (TAME)
Aqueous	EPA 624.1	GC/MS	Toluene
Aqueous	EPA 624.1	GC/MS	trans-1,2-Dichloroethylene
Aqueous	EPA 624.1	GC/MS	trans-1,3-Dichloropropene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous	EPA 624.1	GC/MS	Trichloroethylene
Aqueous	EPA 624.1	GC/MS	Trichlorofluoromethane
Aqueous	EPA 624.1	GC/MS	Vinyl Chloride
Aqueous	EPA 624.1	GC/MS	Xylenes
Aqueous	EPA 625.1	GC/MS	1-Chloronaphthalene
Aqueous	EPA 625.1	GC/MS	1,2,4-Trichlorobenzene
Aqueous	EPA 625.1	GC/MS	1,2-Dichlorobenzene
Aqueous	EPA 625.1	GC/MS	1,3-Dichlorobenzene
Aqueous	EPA 625.1	GC/MS	1,4-Dichlorobenzene
Aqueous	EPA 625.1	GC/MS	2,3,4,6-Tetrachlorophenol
Aqueous	EPA 625.1	GC/MS	2,4,5-Trichlorophenol
Aqueous	EPA 625.1	GC/MS	2,4,6-Trichlorophenol
Aqueous	EPA 625.1	GC/MS	2,4-Dichlorophenol
Aqueous	EPA 625.1	GC/MS	2,4-Dimethyl phenol
Aqueous	EPA 625.1	GC/MS	2,4-Dinitrophenol
Aqueous	EPA 625.1	GC/MS	2,4-Dinitrotoluene
Aqueous	EPA 625.1	GC/MS	2-Chloronaphthalene
Aqueous	EPA 625.1	GC/MS	2-Chlorophenol
Aqueous	EPA 625.1	GC/MS	2-Methylnaphthalene
Aqueous	EPA 625.1	GC/MS	2-Methylphenol
Aqueous	EPA 625.1	GC/MS	2-Nitroaniline
Aqueous	EPA 625.1	GC/MS	2-Nitrophenol
Aqueous	EPA 625.1	GC/MS	2,6-Dichlorophenol
Aqueous	EPA 625.1	GC/MS	2,6-Dinitrotoluene
Aqueous	EPA 625.1	GC/MS	3- & 4-Methylphenols
Aqueous	EPA 625.1	GC/MS	3,3-Dichlorobenzidine
Aqueous	EPA 625.1	GC/MS	3-Nitroaniline
Aqueous	EPA 625.1	GC/MS	4,6-Dinitro-2-Methylphenol
Aqueous	EPA 625.1	GC/MS	4-Bromophenyl Phenyl Ether
Aqueous	EPA 625.1	GC/MS	4-Chloro-3-Methylphenol
Aqueous	EPA 625.1	GC/MS	4-Chloroaniline
Aqueous	EPA 625.1	GC/MS	4-Chlorophenyl Phenyl Ether
Aqueous	EPA 625.1	GC/MS	4-Nitroaniline
Aqueous	EPA 625.1	GC/MS	4-Nitrophenol
Aqueous	EPA 625.1	GC/MS	Acenaphthene
Aqueous	EPA 625.1	GC/MS	Acenaphthylene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous	EPA 625.1	GC/MS	Aniline
Aqueous	EPA 625.1	GC/MS	Anthracene
Aqueous	EPA 625.1	GC/MS	Benzidine
Aqueous	EPA 625.1	GC/MS	Benzo(a)anthracene
Aqueous	EPA 625.1	GC/MS	Benzo(a)pyrene
Aqueous	EPA 625.1	GC/MS	Benzo(b)fluoranthene
Aqueous	EPA 625.1	GC/MS	Benzo(g,h,i)perylene
Aqueous	EPA 625.1	GC/MS	Benzo(k)fluoranthene
Aqueous	EPA 625.1	GC/MS	Benzyl Alcohol
Aqueous	EPA 625.1	GC/MS	Bis(2-chloroethoxy) Methane
Aqueous	EPA 625.1	GC/MS	Bis(2-chloroethyl) Ether
Aqueous	EPA 625.1	GC/MS	Bis(2-ethylhexyl)phthalate
Aqueous	EPA 625.1	GC/MS	Butyl Benzyl Phthalate
Aqueous	EPA 625.1	GC/MS	Carbazole
Aqueous	EPA 625.1	GC/MS	Chrysene
Aqueous	EPA 625.1	GC/MS	Dibenzo(a,h)anthracene
Aqueous	EPA 625.1	GC/MS	Dibenzofuran
Aqueous	EPA 625.1	GC/MS	Diethyl phthalate
Aqueous	EPA 625.1	GC/MS	Dimethyl phthalate
Aqueous	EPA 625.1	GC/MS	Di-n-butyl phthalate
Aqueous	EPA 625.1	GC/MS	Di-n-octyl Phthalate
Aqueous	EPA 625.1	GC/MS	Fluoranthene
Aqueous	EPA 625.1	GC/MS	Fluorene
Aqueous	EPA 625.1	GC/MS	Hexachlorobenzene
Aqueous	EPA 625.1	GC/MS	Hexachlorobutadiene
Aqueous	EPA 625.1	GC/MS	Hexachlorocyclopentadiene
Aqueous	EPA 625.1	GC/MS	Hexachloroethane
Aqueous	EPA 625.1	GC/MS	Indeno(1,2,3-cd)pyrene
Aqueous	EPA 625.1	GC/MS	Isophorone
Aqueous	EPA 625.1	GC/MS	m- & p-Cresol
Aqueous	EPA 625.1	GC/MS	Naphthalene
Aqueous	EPA 625.1	GC/MS	Nitrobenzene
Aqueous	EPA 625.1	GC/MS	N-Nitrosodimethylamine
Aqueous	EPA 625.1	GC/MS	N-nitroso-di-n-propylamine
Aqueous	EPA 625.1	GC/MS	N-Nitrosodiphenylamine
Aqueous	EPA 625.1	GC/MS	o-Cresol



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous	EPA 625.1	GC/MS	Pentachlorophenol
Aqueous	EPA 625.1	GC/MS	Phenanthrene
Aqueous	EPA 625.1	GC/MS	Phenol
Aqueous	EPA 625.1	GC/MS	Pyrene
Aqueous	EPA 625.1	GC/MS	Pyridine
Aqueous	EPA 7196A	UV/VIS	Chromium (VI)
Aqueous	EPA 7470A	CV/AAS	Mercury
Aqueous	EPA 7470A	CVAA	Mercury
Aqueous	EPA 8260B, C	GC/MS	2-CEVE
Aqueous	EPA 8260B, C	GC/MS	Hexachloroethane
Aqueous	EPA 9040B	ISE	pH Determination
Drinking Water	EPA 200.7	ICP	Aluminum
Drinking Water	EPA 200.7	ICP	Antimony
Drinking Water	EPA 200.7	ICP	Arsenic
Drinking Water	EPA 200.7	ICP	Barium
Drinking Water	EPA 200.7	ICP	Beryllium
Drinking Water	EPA 200.7	ICP	Cadmium
Drinking Water	EPA 200.7	ICP	Calcium
Drinking Water	EPA 200.7	ICP	Chromium
Drinking Water	EPA 200.7	ICP	Copper
Drinking Water	EPA 200.7	ICP	Iron
Drinking Water	EPA 200.7	ICP	Lead
Drinking Water	EPA 200.7	ICP	Magnesium
Drinking Water	EPA 200.7	ICP	Manganese
Drinking Water	EPA 200.7	ICP	Molybdenum
Drinking Water	EPA 200.7	ICP	Nickel
Drinking Water	EPA 200.7	ICP	Potassium
Drinking Water	EPA 200.7	ICP	Selenium
Drinking Water	EPA 200.7	ICP	Silica
Drinking Water	EPA 200.7	ICP	Silver
Drinking Water	EPA 200.7	ICP	Sodium
Drinking Water	EPA 200.7	ICP	Thallium
Drinking Water	EPA 200.7	ICP	Vanadium
Drinking Water	EPA 200.7	ICP	Zinc
Drinking Water	EPA 200.8	ICP/MS	Aluminum
Drinking Water	EPA 200.8	ICP/MS	Antimony



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Drinking Water	EPA 200.8	ICP/MS	Arsenic
Drinking Water	EPA 200.8	ICP/MS	Barium
Drinking Water	EPA 200.8	ICP/MS	Beryllium
Drinking Water	EPA 200.8	ICP/MS	Boron
Drinking Water	EPA 200.8	ICP/MS	Cadmium
Drinking Water	EPA 200.8	ICP/MS	Chromium
Drinking Water	EPA 200.8	ICP/MS	Cobalt
Drinking Water	EPA 200.8	ICP/MS	Copper
Drinking Water	EPA 200.8	ICP/MS	Lead
Drinking Water	EPA 200.8	ICP/MS	Manganese
Drinking Water	EPA 200.8	ICP/MS	Mercury
Drinking Water	EPA 200.8	ICP/MS	Molybdenum
Drinking Water	EPA 200.8	ICP/MS	Nickel
Drinking Water	EPA 200.8	ICP/MS	Selenium
Drinking Water	EPA 200.8	ICP/MS	Silver
Drinking Water	EPA 200.8	ICP/MS	Thallium
Drinking Water	EPA 200.8	ICP/MS	Uranium
Drinking Water	EPA 200.8	ICP/MS	Vanadium
Drinking Water	EPA 200.8	ICP/MS	Zinc
Drinking Water	EPA 524.2	GC/MS	trans-1,2-Dichloroethene
Drinking Water	EPA 524.2	GC/MS	1,1,1,2-Tetrachloroethane
Drinking Water	EPA 524.2	GC/MS	1,1,1-Trichloroethane
Drinking Water	EPA 524.2	GC/MS	1,1,2,2-Tetrachloroethane
Drinking Water	EPA 524.2	GC/MS	1,1,2-Trichloroethane
Drinking Water	EPA 524.2	GC/MS	1,1-Dichloroethane
Drinking Water	EPA 524.2	GC/MS	1,1-Dichloroethene
Drinking Water	EPA 524.2	GC/MS	1,1-Dichloropropene
Drinking Water	EPA 524.2	GC/MS	1,2,3-Trichlorobenzene
Drinking Water	EPA 524.2	GC/MS	1,2,3-Trichloropropane
Drinking Water	EPA 524.2	GC/MS	1,2,4-Trichlorobenzene
Drinking Water	EPA 524.2	GC/MS	1,2,4-Trimethylbenzene
Drinking Water	EPA 524.2	GC/MS	1,2-Dichlorobenzene
Drinking Water	EPA 524.2	GC/MS	1,2-Dichloroethane
Drinking Water	EPA 524.2	GC/MS	1,2-Dichloropropane
Drinking Water	EPA 524.2	GC/MS	1,3,5-Trimethylbenzene
Drinking Water	EPA 524.2	GC/MS	1,3-Dichlorobenzene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Drinking Water	EPA 524.2	GC/MS	1,3-Dichloropropane
Drinking Water	EPA 524.2	GC/MS	1,4-Dichlorobenzene
Drinking Water	EPA 524.2	GC/MS	2,2-Dichloropropane
Drinking Water	EPA 524.2	GC/MS	2-Chlorotoluene
Drinking Water	EPA 524.2	GC/MS	4-Chlorotoluene
Drinking Water	EPA 524.2	GC/MS	4-Isopropyltoluene
Drinking Water	EPA 524.2	GC/MS	Benzene
Drinking Water	EPA 524.2	GC/MS	Bromobenzene
Drinking Water	EPA 524.2	GC/MS	Bromochloromethane
Drinking Water	EPA 524.2	GC/MS	Bromodichloromethane
Drinking Water	EPA 524.2	GC/MS	Bromoform
Drinking Water	EPA 524.2	GC/MS	Bromomethane
Drinking Water	EPA 524.2	GC/MS	Carbon Tetrachloride
Drinking Water	EPA 524.2	GC/MS	Chlorobenzene
Drinking Water	EPA 524.2	GC/MS	Chloroethane
Drinking Water	EPA 524.2	GC/MS	Chloroform
Drinking Water	EPA 524.2	GC/MS	Chloromethane
Drinking Water	EPA 524.2	GC/MS	cis-1,2-Dichloroethene
Drinking Water	EPA 524.2	GC/MS	cis-1,3-Dichloropropene
Drinking Water	EPA 524.2	GC/MS	Dibromochloromethane
Drinking Water	EPA 524.2	GC/MS	Dibromomethane
Drinking Water	EPA 524.2	GC/MS	Dichlorodifluoromethane
Drinking Water	EPA 524.2	GC/MS	Ethylbenzene
Drinking Water	EPA 524.2	GC/MS	Hexachlorobutadiene
Drinking Water	EPA 524.2	GC/MS	Isopropylbenzene
Drinking Water	EPA 524.2	GC/MS	m&p-Xylenes
Drinking Water	EPA 524.2	GC/MS	Methylene Chloride
Drinking Water	EPA 524.2	GC/MS	Methyl-tert-butyl-ether (MTBE)
Drinking Water	EPA 524.2	GC/MS	Naphthalene
Drinking Water	EPA 524.2	GC/MS	n-Butylbenzene
Drinking Water	EPA 524.2	GC/MS	o-Xylene
Drinking Water	EPA 524.2	GC/MS	Propylbenzene
Drinking Water	EPA 524.2	GC/MS	sec-butylbenzene
Drinking Water	EPA 524.2	GC/MS	Styrene
Drinking Water	EPA 524.2	GC/MS	tert-Butylbenzene
Drinking Water	EPA 524.2	GC/MS	Tetrachloroethene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Drinking Water	EPA 524.2	GC/MS	Toluene
Drinking Water	EPA 524.2	GC/MS	trans-1,3-Dichloropropene
Drinking Water	EPA 524.2	GC/MS	Trichloroethylene
Drinking Water	EPA 524.2	GC/MS	Trichlorofluoromethane
Drinking Water	EPA 524.2	GC/MS	Trichlorotrifluoroethane
Drinking Water	EPA 524.2	GC/MS	Vinyl Chloride
Solid	AK-103	GC-FID	Diesel Range Organics (RRO)
Solid	EPA 1311	TCLP Extractables	TCLP, STLC, & ZHE
Solid	EPA 7471A	CVAA	Mercury
Aqueous/Solid	AK-101	GC-FID	Gasoline Range Organics (GRO)
Aqueous/Solid	AK-102	GC-FID	Diesel Range Organics (DRO)
Aqueous/Solid	EPA 160.1	GRAV	Total Dissolved Solids (TDS)
Aqueous/Solid	EPA 6010B	ICP/AES	Aluminum
Aqueous/Solid	EPA 6010B	ICP/AES	Antimony
Aqueous/Solid	EPA 6010B	ICP/AES	Arsenic
Aqueous/Solid	EPA 6010B	ICP/AES	Barium
Aqueous/Solid	EPA 6010B	ICP/AES	Beryllium
Aqueous/Solid	EPA 6010B	ICP/AES	Cadmium
Aqueous/Solid	EPA 6010B	ICP/AES	Calcium
Aqueous/Solid	EPA 6010B	ICP/AES	Chromium
Aqueous/Solid	EPA 6010B	ICP/AES	Cobalt
Aqueous/Solid	EPA 6010B	ICP/AES	Copper
Aqueous/Solid	EPA 6010B	ICP/AES	Iron
Aqueous/Solid	EPA 6010B	ICP/AES	Lead
Aqueous/Solid	EPA 6010B	ICP/AES	Magnesium
Aqueous/Solid	EPA 6010B	ICP/AES	Manganese
Aqueous/Solid	EPA 6010B	ICP/AES	Molybdenum
Aqueous/Solid	EPA 6010B	ICP/AES	Nickel
Aqueous/Solid	EPA 6010B	ICP/AES	Potassium
Aqueous/Solid	EPA 6010B	ICP/AES	Selenium
Aqueous/Solid	EPA 6010B	ICP/AES	Silver
Aqueous/Solid	EPA 6010B	ICP/AES	Sodium
Aqueous/Solid	EPA 6010B	ICP/AES	Strontium
Aqueous/Solid	EPA 6010B	ICP/AES	Thallium
Aqueous/Solid	EPA 6010B	ICP/AES	Tin
Aqueous/Solid	EPA 6010B	ICP/AES	Titanium



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous/Solid	EPA 6010B	ICP/AES	Vanadium
Aqueous/Solid	EPA 6010B	ICP/AES	Zinc
Aqueous/Solid	EPA 6020	ICP/MS	Antimony
Aqueous/Solid	EPA 6020	ICP/MS	Arsenic
Aqueous/Solid	EPA 6020	ICP/MS	Barium
Aqueous/Solid	EPA 6020	ICP/MS	Beryllium
Aqueous/Solid	EPA 6020	ICP/MS	Cadmium
Aqueous/Solid	EPA 6020	ICP/MS	Chromium
Aqueous/Solid	EPA 6020	ICP/MS	Cobalt
Aqueous/Solid	EPA 6020	ICP/MS	Copper
Aqueous/Solid	EPA 6020	ICP/MS	Lead
Aqueous/Solid	EPA 6020	ICP/MS	Manganese
Aqueous/Solid	EPA 6020	ICP/MS	Molybdenum
Aqueous/Solid	EPA 6020	ICP/MS	Nickel
Aqueous/Solid	EPA 6020	ICP/MS	Selenium
Aqueous/Solid	EPA 6020	ICP/MS	Silver
Aqueous/Solid	EPA 6020	ICP/MS	Thallium
Aqueous/Solid	EPA 6020	ICP/MS	Vanadium
Aqueous/Solid	EPA 6020	ICP/MS	Zinc
Aqueous/Solid	EPA 7199	IC	Chromium (VI)
Aqueous/Solid	EPA 8015B	GC/PID/FID	Diesel Range Organics (C12 - C24)
Aqueous/Solid	EPA 8015B	GC/PID/FID	TPH - Diesel (C10 - C34)
Aqueous/Solid	EPA 8015B	GC/PID/FID	TPH - Gasoline
Aqueous/Solid	EPA 8021B	GC/PID/FID	Benzene
Aqueous/Solid	EPA 8021B	GC/PID/FID	Ethylbenzene
Aqueous/Solid	EPA 8021B	GC/PID/FID	Methyl tert butyl ether
Aqueous/Solid	EPA 8021B	GC/PID/FID	Toluene
Aqueous/Solid	EPA 8021B	GC/PID/FID	Total Xylenes
Aqueous/Solid	EPA 8081A	GC/ECD	4,4'-DDD
Aqueous/Solid	EPA 8081A	GC/ECD	4,4'-DDE
Aqueous/Solid	EPA 8081A	GC/ECD	4,4'-DDT
Aqueous/Solid	EPA 8081A	GC/ECD	Aldrin
Aqueous/Solid	EPA 8081A	GC/ECD	alpha-BHC



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous/Solid	EPA 8081A	GC/ECD	alpha-Chlordane
Aqueous/Solid	EPA 8081A	GC/ECD	beta-BHC
Aqueous/Solid	EPA 8081A	GC/ECD	Chlordane (Technical)
Aqueous/Solid	EPA 8081A	GC/ECD	delta-BHC
Aqueous/Solid	EPA 8081A	GC/ECD	Dieldrin
Aqueous/Solid	EPA 8081A	GC/ECD	Endosulfan I
Aqueous/Solid	EPA 8081A	GC/ECD	Endosulfan II
Aqueous/Solid	EPA 8081A	GC/ECD	Endosulfan Sulfate
Aqueous/Solid	EPA 8081A	GC/ECD	Endrin
Aqueous/Solid	EPA 8081A	GC/ECD	Endrin Aldehyde
Aqueous/Solid	EPA 8081A	GC/ECD	Endrin ketone
Aqueous/Solid	EPA 8081A	GC/ECD	gamma-BHC (Lindane)
Aqueous/Solid	EPA 8081A	GC/ECD	gamma-Chlordane
Aqueous/Solid	EPA 8081A	GC/ECD	Heptachlor
Aqueous/Solid	EPA 8081A	GC/ECD	Heptachlor Epoxide
Aqueous/Solid	EPA 8081A	GC/ECD	Methoxychlor
Aqueous/Solid	EPA 8081A	GC/ECD	Toxaphene
Aqueous/Solid	EPA 8082A	GC/ECD	PCB-1016
Aqueous/Solid	EPA 8082A	GC/ECD	PCB-1221
Aqueous/Solid	EPA 8082A	GC/ECD	PCB-1232
Aqueous/Solid	EPA 8082A	GC/ECD	PCB-1242
Aqueous/Solid	EPA 8082A	GC/ECD	PCB-1248
Aqueous/Solid	EPA 8082A	GC/ECD	PCB-1254
Aqueous/Solid	EPA 8082A	GC/ECD	PCB-1260
Aqueous/Solid	EPA 8141A	GC/NPD	Azinphos Methyl
Aqueous/Solid	EPA 8141A	GC/NPD	Chlorpyrifos
Aqueous/Solid	EPA 8141A	GC/NPD	Demeton O/S
Aqueous/Solid	EPA 8141A	GC/NPD	Diazinon
Aqueous/Solid	EPA 8141A	GC/NPD	Dichlorvos
Aqueous/Solid	EPA 8141A	GC/NPD	Dimethoate
Aqueous/Solid	EPA 8141A	GC/NPD	Disulfoton
Aqueous/Solid	EPA 8141A	GC/NPD	Ethion
Aqueous/Solid	EPA 8141A	GC/NPD	Ethoprop
Aqueous/Solid	EPA 8141A	GC/NPD	Ethyl Parathion
Aqueous/Solid	EPA 8141A	GC/NPD	Malathion
Aqueous/Solid	EPA 8141A	GC/NPD	Methyl parathion



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous/Solid	EPA 8141A	GC/NPD	Phorate
Aqueous/Solid	EPA 8141A	GC/NPD	Ronnel (Fenchlorphos)
Aqueous/Solid	EPA 8151A	GC/ECD	2,4,5-T
Aqueous/Solid	EPA 8151A	GC/ECD	2,4,5-TP (Silvex)
Aqueous/Solid	EPA 8151A	GC/ECD	2,4-D
Aqueous/Solid	EPA 8151A	GC/ECD	2,4-DB
Aqueous/Solid	EPA 8151A	GC/ECD	Dalapon
Aqueous/Solid	EPA 8151A	GC/ECD	Dicamba
Aqueous/Solid	EPA 8151A	GC/ECD	Dichloroprop
Aqueous/Solid	EPA 8151A	GC/ECD	Dinoseb
Aqueous/Solid	EPA 8151A	GC/ECD	Pentachlorophenol
Aqueous/Solid	EPA 8260B, C	GC/MS	1,1,1,2-Tetrachloroethane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,1,1-Trichloroethane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,1,2,2-Tetrachloroethane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,1,2-Trichloro-1,2,2-trifluoroethane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,1,2-Trichloroethane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,1-Dichloroethane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,1-Dichloroethene
Aqueous/Solid	EPA 8260B, C	GC/MS	1,1-Dichloropropene
Aqueous/Solid	EPA 8260B, C	GC/MS	1,2,3-Trichlorobenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	1,2,3-Trichloropropane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,2,4-Trichlorobenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	1,2,4-Trimethylbenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	1,2-Dibromo-3-Chloropropane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,2-Dibromoethane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,2-Dichlorobenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	1,2-Dichloroethane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,2-Dichloropropane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,3,5-Trimethylbenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	1,3-Dichlorobenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	1,3-Dichloropropane
Aqueous/Solid	EPA 8260B, C	GC/MS	1,4-Dichlorobenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	1,4-Dioxane
Aqueous/Solid	EPA 8260B, C	GC/MS	2,2-Dichloropropane
Aqueous/Solid	EPA 8260B, C	GC/MS	2-Chlorotoluene
Aqueous/Solid	EPA 8260B, C	GC/MS	2-Hexanone



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous/Solid	EPA 8260B, C	GC/MS	4-Chlorotoluene
Aqueous/Solid	EPA 8260B, C	GC/MS	Acetone
Aqueous/Solid	EPA 8260B, C	GC/MS	Acrolein
Aqueous/Solid	EPA 8260B, C	GC/MS	Acrylonitrile
Aqueous/Solid	EPA 8260B, C	GC/MS	Benzene
Aqueous/Solid	EPA 8260B, C	GC/MS	Bromobenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	Bromochloromethane
Aqueous/Solid	EPA 8260B, C	GC/MS	Bromodichloromethane
Aqueous/Solid	EPA 8260B, C	GC/MS	Bromoform
Aqueous/Solid	EPA 8260B, C	GC/MS	Bromomethane
Aqueous/Solid	EPA 8260B, C	GC/MS	Carbon Disulfide
Aqueous/Solid	EPA 8260B, C	GC/MS	Carbon Tetrachloride
Aqueous/Solid	EPA 8260B, C	GC/MS	Chlorobenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	Chloroethane
Aqueous/Solid	EPA 8260B, C	GC/MS	Chloroform
Aqueous/Solid	EPA 8260B, C	GC/MS	Chloromethane
Aqueous/Solid	EPA 8260B, C	GC/MS	cis-1,2-Dichloroethene
Aqueous/Solid	EPA 8260B, C	GC/MS	cis-1,3-Dichloropropene
Aqueous/Solid	EPA 8260B, C	GC/MS	Dibromochloromethane
Aqueous/Solid	EPA 8260B, C	GC/MS	Dibromomethane
Aqueous/Solid	EPA 8260B, C	GC/MS	Dichlorodifluoromethane
Aqueous/Solid	EPA 8260B, C	GC/MS	Diisopropyl ether
Aqueous/Solid	EPA 8260B, C	GC/MS	Ethyl t-butyl ether
Aqueous/Solid	EPA 8260B, C	GC/MS	Ethylbenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	Hexachlorobutadiene
Aqueous/Solid	EPA 8260B, C	GC/MS	Isopropylbenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	Methyl Ethyl Ketone
Aqueous/Solid	EPA 8260B, C	GC/MS	Methyl Isobutyl Ketone
Aqueous/Solid	EPA 8260B, C	GC/MS	Methyl t-butyl Ether



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous/Solid	EPA 8260B, C	GC/MS	Methylene Chloride
Aqueous/Solid	EPA 8260B, C	GC/MS	Naphthalene
Aqueous/Solid	EPA 8260B, C	GC/MS	n-Butylbenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	n-Propylbenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	o-Xylene
Aqueous/Solid	EPA 8260B, C	GC/MS	p- & m-Xylenes
Aqueous/Solid	EPA 8260B, C	GC/MS	p-Isopropyltoluene
Aqueous/Solid	EPA 8260B, C	GC/MS	sec-Butylbenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	Styrene
Aqueous/Solid	EPA 8260B, C	GC/MS	t-Amyl Methyl Ether
Aqueous/Solid	EPA 8260B, C	GC/MS	t-Butyl Alcohol
Aqueous/Solid	EPA 8260B, C	GC/MS	tert-Butylbenzene
Aqueous/Solid	EPA 8260B, C	GC/MS	Tetrachloroethene
Aqueous/Solid	EPA 8260B, C	GC/MS	Toluene
Aqueous/Solid	EPA 8260B, C	GC/MS	Total 1,2-Dichloroethene
Aqueous/Solid	EPA 8260B, C	GC/MS	Total 1,3-Dichloropropene
Aqueous/Solid	EPA 8260B, C	GC/MS	Total Xylenes
Aqueous/Solid	EPA 8260B, C	GC/MS	trans-1,2-Dichloroethene
Aqueous/Solid	EPA 8260B, C	GC/MS	trans-1,3-Dichloropropene
Aqueous/Solid	EPA 8260B, C	GC/MS	Trichloroethene
Aqueous/Solid	EPA 8260B, C	GC/MS	Trichlorofluoromethane
Aqueous/Solid	EPA 8260B, C	GC/MS	Vinyl Chloride
Aqueous/Solid	EPA 8260B, C (BCORG045)	GC/MS	TPPH (G)
Aqueous/Solid	EPA 8270C	GC/MS	1-Chloronaphthalene
Aqueous/Solid	EPA 8270C	GC/MS	1,2,4-Trichlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	1,2-Dichlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	1,3-Dichlorobenzene (1,3-DCB)
Aqueous/Solid	EPA 8270C	GC/MS	1,4-Dichlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	1,4-Dioxane
Aqueous/Solid	EPA 8270C	GC/MS	2,3,4,6-Tetrachlorophenol



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous/Solid	EPA 8270C	GC/MS	2,4,5-Trichlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4,6-Trichlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4-Dichlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4-Dimethylphenol
Aqueous/Solid	EPA 8270C	GC/MS	2, 4-Dinitrophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4-Dinitrotoluene
Aqueous/Solid	EPA 8270C	GC/MS	2,6-Dichlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,6-Dinitrotoluene
Aqueous/Solid	EPA 8270C	GC/MS	2-Chloronaphthalene
Aqueous/Solid	EPA 8270C	GC/MS	2-Chlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2-Methylnaphthalene
Aqueous/Solid	EPA 8270C	GC/MS	2-Methylphenol
Aqueous/Solid	EPA 8270C	GC/MS	2-Nitroaniline
Aqueous/Solid	EPA 8270C	GC/MS	2-Nitrophenol
Aqueous/Solid	EPA 8270C	GC/MS	3- & 4-Methylphenol
Aqueous/Solid	EPA 8270C	GC/MS	3,3-Dichlorobenzidine
Aqueous/Solid	EPA 8270C	GC/MS	3-Nitroaniline
Aqueous/Solid	EPA 8270C	GC/MS	4,6-Dinitro-2-methylphenol
Aqueous/Solid	EPA 8270C	GC/MS	4-Bromophenyl phenyl ether
Aqueous/Solid	EPA 8270C	GC/MS	4-Chloro-3-methylphenol
Aqueous/Solid	EPA 8270C	GC/MS	4-Chloroaniline
Aqueous/Solid	EPA 8270C	GC/MS	4-Chlorophenyl phenyl ether
Aqueous/Solid	EPA 8270C	GC/MS	4-Nitroaniline
Aqueous/Solid	EPA 8270C	GC/MS	4-Nitrophenol
Aqueous/Solid	EPA 8270C	GC/MS	Acenaphthene
Aqueous/Solid	EPA 8270C	GC/MS	Acenaphthylene
Aqueous/Solid	EPA 8270C	GC/MS	Aniline
Aqueous/Solid	EPA 8270C	GC/MS	Anthracene
Aqueous/Solid	EPA 8270C	GC/MS	Benzidine
Aqueous/Solid	EPA 8270C	GC/MS	Benzo[a]anthracene
Aqueous/Solid	EPA 8270C	GC/MS	Benzo[a]pyrene
Aqueous/Solid	EPA 8270C	GC/MS	Benzo[b]fluoranthene
Aqueous/Solid	EPA 8270C	GC/MS	Benzo[g,h,i]perylene
Aqueous/Solid	EPA 8270C	GC/MS	Benzo[k]fluoranthene
Aqueous/Solid	EPA 8270C	GC/MS	Benzyl alcohol
Aqueous/Solid	EPA 8270C	GC/MS	Benzyl butyl phthalate



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous/Solid	EPA 8270C	GC/MS	bis(2-Chloroethoxy)methane
Aqueous/Solid	EPA 8270C	GC/MS	bis(2-Chloroethyl) ether
Aqueous/Solid	EPA 8270C	GC/MS	bis(2-Ethylhexyl)phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Carbazole
Aqueous/Solid	EPA 8270C	GC/MS	Chrysene
Aqueous/Solid	EPA 8270C	GC/MS	Dibenzo[a,h]anthracene
Aqueous/Solid	EPA 8270C	GC/MS	Dibenzofuran
Aqueous/Solid	EPA 8270C	GC/MS	Diethyl phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Dimethyl phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Di-n-butyl phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Di-n-octyl phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Fluoranthene
Aqueous/Solid	EPA 8270C	GC/MS	Fluorene
Aqueous/Solid	EPA 8270C	GC/MS	Hexachlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	Hexachlorobutadiene
Aqueous/Solid	EPA 8270C	GC/MS	Hexachlorocyclopentadiene
Aqueous/Solid	EPA 8270C	GC/MS	Hexachloroethane
Aqueous/Solid	EPA 8270C	GC/MS	Indeno[1,2,3-cd]pyrene
Aqueous/Solid	EPA 8270C	GC/MS	Isophorone
Aqueous/Solid	EPA 8270C	GC/MS	Naphthalene
Aqueous/Solid	EPA 8270C	GC/MS	Nitrobenzene
Aqueous/Solid	EPA 8270C	GC/MS	N-Nitrosodimethylamine
Aqueous/Solid	EPA 8270C	GC/MS	N-Nitrosodi-N-propylamine
Aqueous/Solid	EPA 8270C	GC/MS	N-Nitrosodiphenylamine
Aqueous/Solid	EPA 8270C	GC/MS	Pentachlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	Phenanthrene
Aqueous/Solid	EPA 8270C	GC/MS	Phenol
Aqueous/Solid	EPA 8270C	GC/MS	Pyrene
Aqueous/Solid	EPA 8270C	GC/MS	Pyridine
Aqueous/Solid	EPA 8270C SIM	GC/MS	Acenaphthene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Acenaphthylene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Anthracene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Benzo(a)anthracene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Benzo(a)pyrene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Benzo(b)fluroanthene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Benzo(g,h,i)perylene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous/Solid	EPA 8270C SIM	GC/MS	Benzo(k)fluroanthene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Chrysene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Dibenzo(a,h)anthracene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Fluoranthene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Fluorene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Indeno(1,2,3-cd)pyrene
Aqueous/Solid	EPA 8270C SIM	GC/MS	2-Methylnaphthalene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Naphthalene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Phenanthrene
Aqueous/Solid	EPA 8270C SIM	GC/MS	Pyrene
Aqueous/Solid	EPA 8330A	HPLC/UV	1,3,5-Trinitrobenzene
Aqueous/Solid	EPA 8330A	HPLC/UV	1,3-Dinitrobenzene
Aqueous/Solid	EPA 8330A	HPLC/UV	2,4,6-Trinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC/UV	2,4-Dinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC/UV	2,6-Dinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC/UV	2-Amino-4,6-dinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC/UV	2-Nitrotoluene
Aqueous/Solid	EPA 8330A	HPLC/UV	3-Nitrotoluene
Aqueous/Solid	EPA 8330A	HPLC/UV	4-Amino-2,6-dinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC/UV	4-Nitrotoluene
Aqueous/Solid	EPA 8330A	HPLC/UV	HMX
Aqueous/Solid	EPA 8330A	HPLC/UV	Nitrobenzene
Aqueous/Solid	EPA 8330A	HPLC/UV	RDX
Aqueous/Solid	EPA 8330A	HPLC/UV	Tetryl
Aqueous	EPA 9010	Distillation	Total Cyanide
Aqueous/Solid	EPA 9012	UV/VIS	Cyanide
Aqueous/Solid	EPA 9012A	UV/VIS	Total Cyanide
Aqueous/Solid	EPA 9040B	ISE	pH Determination
Solid	EPA 9045C	ISE	pH Determination
Aqueous	RSK 175	GC-FID	Methane, ethane, & ethene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2017 and DOECAP

BC Laboratories, Inc.

4100 Atlas Court, Bakersfield, CA 93308
Contact Name: Sara Guron Phone: 661-327-4911

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard /Method	Technology	Analyte
Aqueous/Solids	SM 2540C	GRAV	Total Dissolved Solids (TDS)
Aqueous/Solid	SM 2540G	GRAV	% Moisture
Aqueous	EPA 3005A	Acid Digestion	Digestion Prep Methods
Aqueous	EPA 3010A	Acid Digestion	Digestion Prep Methods
Aqueous	EPA 3510C	Separatory Funnel	Extraction Prep Methods
Aqueous	EPA 7470A	Acid Digestion	Digestion Prep Methods
Solid	EPA 300	Leaching	Prep
Solid	EPA 3050B	Acid Digestion	Digestion Prep Methods
Solid	EPA 3550B	Ultrasonic Extraction	Extraction Prep Methods
Solid	EPA 3580A	Solvent Extraction	Extraction Prep Methods
Solid	EPA 5035B	Purge & Trap	Volatile Prep Methods
Solid	EPA 7471A	Acid Digestion	Digestion Prep Methods
Solid	EPA 8330	Sonication	Extraction Prep Methods
Aqueous/Solid	EPA 5030A	Purge & Trap	Volatile Prep Methods
Aqueous/Solid	EPA 9010	Distillation	Distillation Prep Methods